

NVENIA
A DURAVANT COMPANY

MULTI-HEAD WEIGHERS AND COUNTERS
MHW Series

MULTI-HEAD WEIGHERS

Includes Models: MHW8, MHW10, MHW14, MHW18, AND MHW24

The Ohlson Brand Stainless Steel Combination scale multihead weighers & counters are perfect for a wide array of high accuracy and high-speed weighing and counting applications.

FEATURES


- Drastically reduce product giveaway (load cell accuracy to 0.1 gram)
- Minimize and product damage with clean, gentle handling
- Comply with weights & measurement standards and regulations
- Confirm both weight and count measurements in your packaging
- Highly sanitary—easy, tool-less parts removal
- Uptime rating near 100 percent maximizes your man hours and efficiency
- Easily programmable
- 100-program storage for quick changeover



COMMON ACCESSORIES


- Timing hopper
- Tilted feed pans
- C.O.P. Rack
- Spare set of buckets and chutes
- Bucket elevator
- Support platform
- Diverter gates
- Ceramic/Teflon coating
- Spinning cone option
- Gentle handling ring

INDUSTRIES



SAMPLE CONFIGURATION

(MHW14 Depicted with Platform, Supply Hopper and Bucket Elevator)



KEY SPECIFICATIONS

Specs may vary based on specific options and/or additional system requirements

	MHW-CW10	MHW-CW14	MHW-CW-18	MHW-CW24
# of Weigh Scales	10	14	18	24
Weighing Range	10 – 3000g	10 – 3000g	10 – 3000g	10 – 3000g
Load Cell Accuracy	± 0.1 to 1.5g	± 0.1 to 1.5g	± 0.1 to 1.5g	± 0.1 to 1.5g
Max Cycle Speed*	70WPM	130WPM	160 WPM	220 WPM
Weighing Hopper Volume	1.3, 2.5, 5, or 7.5 liters	0.5, 1.3, 2.5, 5, or 7.5 liters	0.8, 1, or 2.5, liters	1.3 liters
Power	10A 220VAC Single Phase @ 60HZ	12A 220VAC Single Phase @ 60HZ	15A 220VAC Single Phase @ 60HZ	15A 220VAC Single Phase @ 60HZ
Dimensions	57" x 43" x 48"	63" x 45" x 57"	63" x 63" x 66.7"	63" x 63" x 64.25"

*Quoted speeds are product and weight-dependent



NVENIA

750 N. Wood Dale Road
Wood Dale, IL 60191
info@nVenia.com
800.253.5103
www.nVenia.com

SUPPORTPRO

3500 Lacey Road, Suite 290
Downers Grove, IL 60515
support@supportpro.pro
844.777.8776
www.supportpro.pro